				Other infections	Recommended period to be kept away from school, nursery or childminders
Rashes and		I		Conjunctivitis	None
skin infections	Recommended period to be kept away from school, nursery or childminders	Diarrhoea and	Recommended period to be kept away from school, nursery or childminders	Diphtheria *	Exclusion is essential. Always consult with the Duty Room
Athlete's foot	None	vomiting illness	from school, hursery or childriningers		
Chickenpox*	Until all vesicles have crusted over	Diarrhoea and/or vomiting	48 hours from last episode of diarrhoea or vomiting	Glandular fever	None
Cold sores, (Herpes simplex)	None		·	Head lice	None
German measles (rubella)*	Four days from onset of rash (as per "Green Book")	E. coli 0157 VTEC*	Should be excluded for 48 hours from the last episode of diarrhoea	Hepatitis A*	Exclude until seven days after onset of jaundice (or seven days after symptom onset if no jaundice)
Hand, foot and mouth	None	Typhoid* [and	Further exclusion may be required for some	Hepatitis B*, C, HIV/AIDS	None
Impetigo	Until lesions are crusted and healed, or 48 hours after commencing antibiotic treatment	paratyphoid*] (enteric fever)	children until they are no longer excreting	Meningococcal meningitis*/	Until recovered
Measles*	Four days from onset of rash	Shigella*		septicaemia*	
Molluscum contagiosum	None	(dysentery)			
Ringworm	Exclusion not usually required	Cryptosporidiosis*	Exclude for 48 hours from the last episode of	Meningitis* due to other bacteria	Until recovered
Roseola (infantum)	None	Cryptosportalosis	diarrhoea		
Scabies	Child can return after first treatment			Meningitis viral*	None
Scarlet fever*	Child can return 24 hours after commencing appropriate antibiotic treatment	Respiratory	Recommended period to be kept away		
Classed shoot /6/64	None once rash has developed	infections	from school, nursery or childminders	MRSA	None
Slapped cheek (fifth disease or parvovirus B19)	None once rash has developed	Flu (influenza)	Until recovered		
Shingles	Exclude only if rash is weeping and cannot be covered	Tuberculosis*	Always consult the Duty Room	Mumps*	Exclude child for five days after onset of swelling
		Whooping cough* (pertussis)	48 hours from commencing antibiotic treatment, or 21 days from onset of illness if no	Threadworms	None
Warts and verrucae	None	(	antibiotic treatment	Tonsillitis	None